




# MEDUSA 10-75

Good low end, pronounced mid range, warm top end. Works well in 2x10 and combos.

## FREQUENCY RESPONSE DATA\*



\* Half space response measured in a 975 litre sealed box

## ELECTRO ACOUSTIC SPECIFICATIONS

Nominal Chassis Diameter	10"
Impedance	4 / 8 / 16 $\Omega$
Power Handling	75 w (AES)
Sensitivity (1 w - 1 m)	98 dB
Chassis Type	Pressed Steel
Voice Coil Diameter	1.75" / 44.5mm
Coil Material	Copper
Magnet Type	Ferrite
Magnet Weight	38 oz
Usable Frequency Range	75 Hz - 6 kHz
Resonance FS Hz	90
RE Ohms	6.4 $\Omega$

## MOUNTING / SHIPPING INFORMATION

Overall Diameter	10.15" / 258 mm
Overall Height	
Magnet Diameter	5.19" / 132 mm
Baffle Hole F/M	9.21" / 234 mm
Mounting Hole Qty and Diameter	4x 6.5 mm
Fixing Holes	9.72" / 246.88 mm PCD
Nett Weight	6.12 lb / 3.10 kg
Shipping Weight	7.1 lb / 3.5 kg
Packing Carton Dimensions	295 x 295 x 200 mm